Vietnam Tariff Intelligence

Detalle del SA 4407

Código SA	4407
Descripción	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
Unidad	
Generado	18/11/2026 05:14:31
Versión de datos	2026.04.05 – BIEU THUE XNK 2026.04.05.xlsx
Estado de verificación	Datos arancelarios cotejados con el archivo de origen; recomendaciones/correspondencias orientativas; elegibilidad para el TLC no verificada.
Enlace	https://www.vietnamtariff.com/hs-code/4407/

72 líneas arancelarias en 4407

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.11.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Of pine (Pinus spp.): / - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.11.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Of pine (Pinus spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.12.00	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Of fir (Abies spp.) and spruce (Picea spp.)	m3	5%	0%	8 / 10 (varios tipos)
4407.13.00	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Of S-P-F (spruce (Picea spp.), pine (Pinus spp.) and fir (Abies spp.))	m3	5%	0%	8 / 10 (varios tipos)
4407.14.00	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Of Hem-fir (Western hemlock (Tsuga heterophylla) and fir (Abies spp.))	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.19.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Other: / - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.19.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Coniferous: / - - Other: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.21.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Mahogany (Swietenia spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.21.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Mahogany (Swietenia spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.22.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Virola, Imbuia and Balsa: / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.22.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Virola, Imbuia and Balsa: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.23.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Teak: / - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.23.20	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Teak: / - - - Planed, sanded or end jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.23.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Teak: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.25.12	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Dark Red Meranti, Light Red Meranti and Meranti Bakau: / - - - Dark Red Meranti or Light Red Meranti: / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.25.13	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Dark Red Meranti, Light Red Meranti and Meranti Bakau: / - - - Dark Red Meranti or Light Red Meranti: / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.25.19	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Dark Red Meranti, Light Red Meranti and Meranti Bakau: / - - - Dark Red Meranti or Light Red Meranti: / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.25.21	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Dark Red Meranti, Light Red Meranti and Meranti Bakau: / - - - Meranti Bakau: / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.25.29	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Dark Red Meranti, Light Red Meranti and Meranti Bakau: / - - - Meranti Bakau: / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.26.20	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan: / - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.26.30	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan: / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.26.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.27.20	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Sapelli: / - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.27.30	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Sapelli: / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.27.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Sapelli: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.28.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Iroko: / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.28.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Iroko: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.12	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Jelutong (Dyera spp.): / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.29.13	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Jelutong (Dyera spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.19	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Jelutong (Dyera spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.22	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Kapur (Dryobalanops spp.): / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.29.23	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Kapur (Dryobalanops spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.29	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Kapur (Dryobalanops spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.32	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Kempas (Koompassia spp.): / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.29.33	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Kempas (Koompassia spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.29.39	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Kempas (Koompassia spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.42	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Keruing (Dipterocarpus spp.): / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.29.43	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Keruing (Dipterocarpus spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.49	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Keruing (Dipterocarpus spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.51	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Ramin (Gonystylus spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.59	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Ramin (Gonystylus spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.72	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Balau (Shorea spp.): / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.29.73	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Balau (Shorea spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.79	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Balau (Shorea spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.82	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Mengkulang (Heritiera spp.): / - - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.29.83	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Mengkulang (Heritiera spp.): / - - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.89	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Mengkulang (Heritiera spp.): / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.91	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Jongkong (Dactylocladus spp.) and Merbau (Intsia spp.), planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.92	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Jongkong (Dactylocladus spp.) and Merbau (Intsia spp.), other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.94	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Albizia (Paraserianthes falcataria), planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.95	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Albizia (Paraserianthes falcataria), other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.96	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Rubber (Hevea Brasiliensis), planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.97	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Rubber (Hevea Brasiliensis), other	m3	5%	0%	8 / 10 (varios tipos)
4407.29.98	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Other, planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.29.99	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Of tropical wood: / - - Other: / - - - Other: / - - - - Other	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.91.20	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of oak (Quercus spp.): / - - - Sawn lengthwise, not further worked	m3	5%	0%	8 / 10 (varios tipos)
4407.91.30	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of oak (Quercus spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.91.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of oak (Quercus spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.92.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of beech (Fagus spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.92.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of beech (Fagus spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.93.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of maple (Acer spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.93.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of maple (Acer spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.94.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of cherry (Prunus spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.94.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of cherry (Prunus spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.95.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of ash (Fraxinus spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)

Código SA	Descripción	Unidad	Derecho de importación ordinario	MFN	VAT
4407.95.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of ash (Fraxinus spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.96.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of birch (Betula spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.96.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of birch (Betula spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.97.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of poplar and aspen (Populus spp.): / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.97.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Of poplar and aspen (Populus spp.): / - - - Other	m3	5%	0%	8 / 10 (varios tipos)
4407.99.10	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Other: / - - - Planed, sanded or end-jointed	m3	5%	0%	8 / 10 (varios tipos)
4407.99.90	Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm / - Other: / - - Other: / - - - Other	m3	5%	0%	8 / 10 (varios tipos)

Este informe es orientativo y se genera a partir de los datos arancelarios de origen y de las reglas de asesoría. No es una resolución aduanera y no confirma la clasificación SA, la elegibilidad para el TLC ni la validez jurídica. El usuario debe verificar con la legislación vigente.