Vietnam Tariff Intelligence

Dettaglio SA 8504

Codice SA	8504
Descrizione	Electrical transformers, static converters (for example, rectifiers) and inductors
Unità	
Generato il	11/11/2026 17:16:04
Versione dei dati	2026.04.05 – BIEU THUE XNK 2026.04.05.xlsx
Stato della verifica	Dati tariffari verificati rispetto al file di origine; consigli/corrispondenze indicativi; ammissibilità ALS non verificata.
Link	https://www.vietnamtariff.com/hs-code/8504/

72 righe tariffarie sotto 8504

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.10.00	Electrical transformers, static converters (for example, rectifiers) and inductors / - Ballasts for discharge lamps or tubes	chiếc	22,5%	15%	8 / 10 (più aliquote)
8504.21.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity not exceeding 650 kVA: / - - - Step-voltage regulators (auto transformers); instrument transformers with a power handling capacity not exceeding 5 kVA: / - - - - Instrument transformers with a power handling capacity not exceeding 1 kVA and of a high side voltage of 110 kV or more	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.21.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity not exceeding 650 kVA: / - - - Step-voltage regulators (auto transformers); instrument transformers with a power handling capacity not exceeding 5 kVA: / - - - - Other	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.21.92	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity not exceeding 650 kVA: / - - - Other: / - - - - Having a power handling capacity exceeding 10 kVA and of a high side voltage of 110 kV or more	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.21.93	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity not exceeding 650 kVA: / - - - Other: / - - - - Having a power handling capacity exceeding 10 kVA and of a high side voltage of 66 kV or more, but less than 110 kV	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.21.99	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity not exceeding 650 kVA: / - - - Other: / - - - - Other	chiếc	7,5%	5%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.22.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 650 kVA but not exceeding 10,000 kVA: / - - - Step-voltage regulators (auto transformers): / - - - - Of a high side voltage of 66 kV or more	chiếc	37,5%	25%	8 / 10 (più aliquote)
8504.22.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 650 kVA but not exceeding 10,000 kVA: / - - - Step-voltage regulators (auto transformers): / - - - - Other	chiếc	37,5%	25%	8 / 10 (più aliquote)
8504.22.92	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 650 kVA but not exceeding 10,000 kVA: / - - - Other: / - - - - Of a high side voltage of 110 kV or more	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.22.93	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 650 kVA but not exceeding 10,000 kVA: / - - - Other: / - - - - Of a high side voltage of 66 kV or more, but less than 110 kV	chiếc	37,5%	25%	8 / 10 (più aliquote)
8504.22.99	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 650 kVA but not exceeding 10,000 kVA: / - - - Other: / - - - - Other	chiếc	22,5%	15%	8 / 10 (più aliquote)
8504.23.10	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 10,000 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.23.21	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 10,000 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Not exceeding 20,000 kVA	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.23.22	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 10,000 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Exceeding 20,000 kVA but not exceeding 30,000 kVA	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.23.29	Electrical transformers, static converters (for example, rectifiers) and inductors / - Liquid dielectric transformers: / - - Having a power handling capacity exceeding 10,000 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Other	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.31.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument potential transformers: / - - - - With a voltage rating of 110 kV or more	chiếc	7,5%	5%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.31.12	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument potential transformers: / - - - - With a voltage rating of 66 kV or more, but less than 110 kV	chiếc	22,5%	15%	8 / 10 (più aliquote)
8504.31.13	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument potential transformers: / - - - - With a voltage rating of 1 kV or more, but less than 66 kV	chiếc	30%	20%	8 / 10 (più aliquote)
8504.31.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument potential transformers: / - - - - Other	chiếc	30%	20%	8 / 10 (più aliquote)
8504.31.21	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument current transformers: / - - - - With a voltage rating of 110 kV or more: / - - - - - Ring type current transformers with a voltage rating not exceeding 220 kV	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.31.22	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument current transformers: / - - - - With a voltage rating of 110 kV or more: / - - - - - Other	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.31.23	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument current transformers: / - - - - With a voltage rating of 66 kV or more, but less than 110 kV	chiếc	22,5%	15%	8 / 10 (più aliquote)
8504.31.24	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument current transformers: / - - - - With a voltage rating of 1 kV or more, but less than 66 kV	chiếc	30%	20%	8 / 10 (più aliquote)
8504.31.29	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Instrument current transformers: / - - - - Other	chiếc	30%	20%	8 / 10 (più aliquote)
8504.31.30	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Flyback transformers	chiếc	4,5%	3%	8 / 10 (più aliquote)
8504.31.40	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Intermediate frequency transformers	chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.31.91	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Other: / - - - - Of a kind used with toys, scale models or similar recreational models	chiếc	30%	20%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.31.92	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Other: / - - - - Other matching transformers	chiếc	30%	20%	8 / 10 (più aliquote)
8504.31.93	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Other: / - - - - Step up/down transformers; slide regulators	chiếc	22,5%	15%	8 / 10 (più aliquote)
8504.31.99	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity not exceeding 1 kVA: / - - - Other: / - - - - Other	chiếc	22,5%	15%	8 / 10 (più aliquote)
8504.32.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Instrument transformers (potential and current) of a power handling capacity not exceeding 5 kVA: / - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.32.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Instrument transformers (potential and current) of a power handling capacity not exceeding 5 kVA: / - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.32.20	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Other, of a kind used with toys, scale models or similar recreational models	chiếc	30%	20%	8 / 10 (più aliquote)
8504.32.30	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Other, having a minimum frequency of 3 MHz	chiếc	5%	0%	8 / 10 (più aliquote)
8504.32.41	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Other, of a power handling capacity not exceeding 10 kVA: / - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.32.49	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Other, of a power handling capacity not exceeding 10 kVA: / - - - - Other	chiếc	5%	0%	8 / 10 (più aliquote)
8504.32.51	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Other, of a power handling capacity exceeding 10 kVA: / - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.32.59	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA: / - - - Other, of a power handling capacity exceeding 10 kVA: / - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.33.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA: / - - - Of a high side voltage of 66 kV or more: / - - - - Matching transformers	chiếc	30%	20%	8 / 10 (più aliquote)
8504.33.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA: / - - - Of a high side voltage of 66 kV or more: / - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.33.91	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA: / - - - Other: / - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.33.99	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA: / - - - Other: / - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA: / - - - - Having a power handling capacity exceeding 10,000 kVA and of a high side voltage of 66 kV or more: / - - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.12	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA: / - - - - Having a power handling capacity exceeding 10,000 kVA and of a high side voltage of 66 kV or more: / - - - - - Explosion proof dry type transformers	chiếc	4,5%	3%	8 / 10 (più aliquote)
8504.34.13	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA: / - - - - Having a power handling capacity exceeding 10,000 kVA and of a high side voltage of 66 kV or more: / - - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.14	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA: / - - - - Other: / - - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.15	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA: / - - - - Other: / - - - - - Explosion proof dry type transformers	chiếc	4,5%	3%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.34.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity not exceeding 15,000 kVA: / - - - - Other: / - - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.22	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Of a high side voltage of 66 kV or more: / - - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.23	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Of a high side voltage of 66 kV or more: / - - - - - Explosion proof dry type transformers	chiếc	4,5%	3%	8 / 10 (più aliquote)
8504.34.24	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Of a high side voltage of 66 kV or more: / - - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.25	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Other: / - - - - - Matching transformers	chiếc	15%	10%	8 / 10 (più aliquote)
8504.34.26	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Other: / - - - - - Explosion proof dry type transformers	chiếc	4,5%	3%	8 / 10 (più aliquote)
8504.34.29	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other transformers: / - - Having a power handling capacity exceeding 500 kVA: / - - - Having a power handling capacity exceeding 15,000 kVA: / - - - - Other: / - - - - - Other	chiếc	15%	10%	8 / 10 (più aliquote)
8504.40.11	Electrical transformers, static converters (for example, rectifiers) and inductors / - Static converters: / - - For automatic data processing machines and units thereof, and telecommunications apparatus: / - - - Uninterruptible power supplies (UPS)	chiếc	5%	0%	8 / 10 (più aliquote)
8504.40.19	Electrical transformers, static converters (for example, rectifiers) and inductors / - Static converters: / - - For automatic data processing machines and units thereof, and telecommunications apparatus: / - - - Other	chiếc	5%	0%	8 / 10 (più aliquote)
8504.40.20	Electrical transformers, static converters (for example, rectifiers) and inductors / - Static converters: / - - Battery chargers having a rating exceeding 100 kVA	chiếc	5%	0%	8 / 10 (più aliquote)
8504.40.30	Electrical transformers, static converters (for example, rectifiers) and inductors / - Static converters: / - - Other rectifiers	chiếc	5%	0%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.40.40	Electrical transformers, static converters (for example, rectifiers) and inductors / - Static converters: / - - Inverters	chiếc	5%	0%	8 / 10 (più aliquote)
8504.40.90	Electrical transformers, static converters (for example, rectifiers) and inductors / - Static converters: / - - Other	chiếc	5%	0%	8 / 10 (più aliquote)
8504.50.10	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other inductors: / - - Inductors for power supplies for automatic data processing machines and units thereof, and for telecommunications apparatus	chiếc	5%	0%	8 / 10 (più aliquote)
8504.50.20	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other inductors: / - - Chip type fixed inductors	chiếc	5%	0%	8 / 10 (più aliquote)
8504.50.93	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other inductors: / - - Other: / - - - Having a power handling capacity not exceeding 2,500 kVA	chiếc	5%	0%	8 / 10 (più aliquote)
8504.50.94	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other inductors: / - - Other: / - - - Having a power handling capacity exceeding 2,500 kVA but not exceeding 10,000 kVA	chiếc	5%	0%	8 / 10 (più aliquote)
8504.50.95	Electrical transformers, static converters (for example, rectifiers) and inductors / - Other inductors: / - - Other: / - - - Having a power handling capacity exceeding 10,000 kVA	chiếc	5%	0%	8 / 10 (più aliquote)
8504.90.10	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - Of goods of subheading 8504.10	kg/chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.90.20	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - Printed circuit assemblies for the goods of subheading 8504.40.11, 8504.40.19 or 8504.50.10	kg/chiếc	5%	0%	8 / 10 (più aliquote)
8504.90.31	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - For electrical transformers of a capacity not exceeding 10,000 kVA: / - - - Radiator panels; flat tube radiator assemblies of a kind used for distribution and power transformers	kg/chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.90.39	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - For electrical transformers of a capacity not exceeding 10,000 kVA: / - - - Other	kg/chiếc	5%	0%	8 / 10 (più aliquote)
8504.90.41	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - For electrical transformers of a capacity exceeding 10,000 kVA: / - - - Radiator panels; flat tube radiator assemblies of a kind used for distribution and power transformers	kg/chiếc	7,5%	5%	8 / 10 (più aliquote)
8504.90.49	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - For electrical transformers of a capacity exceeding 10,000 kVA: / - - - Other	kg/chiếc	5%	0%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8504.90.90	Electrical transformers, static converters (for example, rectifiers) and inductors / - Parts: / - - Other	kg/chiếc	5%	0%	8 / 10 (più aliquote)

Questo rapporto è a scopo informativo ed è generato dai dati tariffari di origine e dalle regole di consulenza. Non costituisce una decisione doganale e non conferma la classificazione SA, l'ammissibilità all'ALS né la validità giuridica. L'utente deve verificare rispetto alla normativa vigente.